



# CERTIFICATE OF ANALYSIS

Version 3.7  
revised on June 7, 2023

**Endo H**

PRODUCT NAME: Endo H  
PRODUCT NUMBERS: E-EH02, E-EH02-200, E-EH02-20

LOT NUMBER: 1011.A  
EXPIRATION DATE: June 3, 2026  
ASSAY DATE: May 27, 2023

SOURCE: recombinant gene from *Streptomyces plicatus* expressed in *E. Coli*  
FORMULATION: 20 mM Tris-HCl, 50 mM NaCl, 1 mM EDTA pH 7.5, filter sterilized.  
STORAGE: 4°C (Do not freeze)

ACTIVITY: Activity<sup>1</sup> 5 U/ml (Specification: ≥ 5 U/ml)  
Specific Activity<sup>2</sup> 40 U/mg (Specification: ≥ 40 U/mg)

CONTAMINATING ACTIVITY ASSAYS:  
Protease Assay<sup>3</sup> Passed (Specification "Passed")

1. Defined as the amount of enzyme required to catalyze the release of N-linked oligosaccharides from 1 micromole of denatured RNase B in 1 minute at 37°C, pH 7.5. Cleavage is monitored by SDS-PAGE (cleaved RNase B migrates faster).
2. Protein concentration determined by Bradford method, using BSA as a standard.
3. For the protease assay, 10 µg of denatured BSA is incubated at 37°C for 24 hr with 2 ul of enzyme. SDS-PAGE analysis of the treated BSA shows no evidence of degradation.

President - QA-Bio Inc  
Authorized by Mike Gibson  
June 7, 2023